




# TBF clay roof tile



TBF  
Clay Roof Tiles



CoolMax™  
Thermal Reflective Insulation



SolarMax™  
Solar Water Heater

CLAY ROOF TILES & WALL CLADDINGS

# TERREAL

TERRACOTTA






# Roofing Component

## Terreal Dry Fix™

( Solution to ridge and hip )



### GENERAL

Terreal Dry Fix is a versatile, self adhesive tape, consist of 0.064mm reinforced aluminum foil backed with a 1.45mm weatherproof self adhesive compound which is protected by a silicone release film.

**SIZE:** 30cm (W) X 10m (L)

### COLOURS



## Terreal Dry Flash™

( Abutment solution )



**10 YEAR COLOUR WARRANTY**



### GENERAL

Terreal Dry Flash is a perfect solution for abutment, providing better and neat finishing. Terreal Dry Flash is an aluminium product with high degree of flexibility thanks to continuous corrugation and multiple pre-fabricated bending lines

**SIZE:** 30cm (W) X 5m (L)

### COLOURS



\* Grey color is available in 28cm(W) x 5m(L)



# CoolMax™ Thermal Reflective Insulation

Proven Technology for Tropical Climate, and Cost Effective Insulation Solutions for all types of roof.

## TERREAL CoolMax™ Premium



### CoolMax™ Premium CP3

- Two external pure (99.4%) aluminium foil layers covering a single core layer of polyethylene bubble film
- Roll size : 1.2 m (W) x 60m (L) x 3.8mm (T)
- Coverage: 72m<sup>2</sup>



### CoolMax™ Premium Super CP55

- Two external pure (99.4%) aluminium foil layers covering a single core layer of polyethylene bubble film
- Roll size : 1.2 m (W) x 30m (L) x 8mm (T)
- Coverage: 36m<sup>2</sup>



### CoolMax™ Premium Multi CPM5

- Two external pure (99.4%) aluminium foil layers covering a double layer of polyethylene bubble film and a single layer of foam
- Roll size : 1.2 m (W) x 30m (L) x 9mm (T)
- Coverage: 36m<sup>2</sup>



### CoolMax™ Premium Advance CPA9

- Two external pure (99.4%) aluminium foil layers + 5 layers of high reflective foils covering 2 core layering of polyethylene bubbles and 4 layers of polyester wools
- Roll size : 1.2 m (W) x 20m (L) x 48mm (T)
- Coverage: 24m<sup>2</sup>

## TERREAL CoolMax™ Foil



### CoolMax™ Foil One CF1

- Three layers laminate made up of a single sided reflective aluminium bonded to reinforce high density polyethylene woven fabric with special bonding material.
- Roll size : 1.25 m (W) x 48m (L)
- Coverage: 60m<sup>2</sup>



### CoolMax™ Foil CF2

- Five layers laminate made up of a double sided reflective material (aluminium and metalized) bonded to reinforce high density polyethylene woven fabric with special bonding material.
- Roll size : 1.25 m (W) x 48m (L)
- Coverage: 60m<sup>2</sup>



### CoolMax™ M-Foil One CMF1

- Three layers reflective insulation made up of single sided high reflective metalized polyester bonded to HDPE woven fabric by layers of special bonding material.
- Roll size : 1.25 m (W) x 48m (L)
- Coverage: 60m<sup>2</sup>



### CoolMax™ M-Foil CMF2

- Five layers reflective insulation made up of double sided high reflective metalized polyester bonded to HDPE woven fabric by layers of special bonding material.
- Roll size : 1.25 m (W) x 48m (L)
- Coverage: 60m<sup>2</sup>





**SolarMax™**

**the gift of nature for you and your family.**

Imagine a solar hot water system that requires no gas/electricity bills, conserves hot water up to 72 hours and totally reliable, economical plus environmentally friendly. Perfect! And it is absolutely trouble-free, leakage - free and needs minimal maintenance (12 years international warranty\*), with package supply and install. One of the most outstanding warranty found in market!

**SolarMax™ Premium**

**with Blue Titanium TINOX® collector.**

The higher efficiency Blue Titanium TINOX® collector with its highly selective surface maximize the absorption of available solar energy, enabling a reduction in the collector size without any compromise on performance.

SolarMax™ Premium also features out revolutionary multi-flow collector panel which uses a huge 31 tube risers, assembled with ultrasonic welding to receive the maximum amount of energy from the sun.

OVERALL DIMENSIONS	MODEL		
	SM 30	SM 60	SM 300L
Total Capacity	30 gallons 136 liters	60 gallons 272 liters	66 gallons 300 liters
Overall Dimension	1300 x 2110 x 460mm	2600 x 2110 x 460mm	2900 x 2110 x 460mm
Overall Weight (Empty)	51 kg	105 kg	108 kg
Overall Weight (Full)	189 kg	380 kg	410 kg
Normal Working Pressure	500 kPa ( 5 kg/cm <sup>2</sup> )	500 kPa ( 5 kg/cm <sup>2</sup> )	500 kPa ( 5 kg/cm <sup>2</sup> )
Relief Valve Settings	700 kPa ( 7 kg/cm <sup>2</sup> )	700 kPa ( 7 kg/cm <sup>2</sup> )	700 kPa ( 7 kg/cm <sup>2</sup> )
Overall Test Pressure	1500 kPa (15 kg/cm <sup>2</sup> )	1500 kPa (15 kg/cm <sup>2</sup> )	1500 kPa (15 kg/cm <sup>2</sup> )
Usage Subject to	3 - 4 person	4 - 6 person	7 - 8 person

OVERALL DIMENSIONS	MODEL	
	PREMIUM SM 60	PREMIUM SM 300L
Total Capacity	60 gallons 272 liters	66 gallons 300 liters
Overall Dimension	2600 x 985 x 460mm	2900 x 985 x 460mm
Overall Weight (Empty)	99 kg	104 kg
Overall Weight (Full)	372 kg	405 kg
Normal Working Pressure	500 kPa ( 5 kg/cm <sup>2</sup> )	500 kPa ( 5 kg/cm <sup>2</sup> )
Relief Valve Settings	700 kPa ( 7 kg/cm <sup>2</sup> )	700 kPa ( 7 kg/cm <sup>2</sup> )
Overall Test Pressure	1500 kPa (15 kg/cm <sup>2</sup> )	1500 kPa (15 kg/cm <sup>2</sup> )
Usage Subject to	4 - 6 person	7 - 8 person

\* Terreal reserves the right to change all specification of the products and their accessories without prior notice.



**Energy Saving**



**Safety**



**Backup Booster**



**Durability**

\* 12 years International warranty.



**Environmentally Friendly**



**Trouble Free System**

\* Back-up electric booster with 1 year warranty



**EDARAN PRESTASI SDN BHD**

(Co. Regs. No: 349615-T)

Lot 763-2A, Jalan Subang 4, Kawasan Perusahaan Sungai Penaga, 47610 Subang Jaya, Selangor.

**Tel: 603-5631 9233 (Hunting Line) Fax: 603-5632 1453**

**E-mail: epress18@yahoo.com, epsbndt@yahoo.com**



Give your home that distinctive beauty.... only with Terreal TBF Clay Roof Tiles



### Romane TBF

Dimension	282 x 428 mm
Weight	3.65 kg
Batten Gauge	362 ± 2 mm
Tiles / m <sup>2</sup>	13 pcs



### Romane Canal TBF

Dimension	298 x 449 mm
Weight	4.0 kg
Batten Gauge	388 ± 2 mm
Tiles / m <sup>2</sup>	11 pcs



### Peranakan 8

Dimension	330 x 350 mm
Weight	3.9 kg
Batten Gauge	273 ± 2 mm
Tiles / m <sup>2</sup>	13 pcs



### Modern Slate

Dimension	330 x 420 mm
Weight	5.0 kg
Batten Gauge	255 mm
Tiles / m <sup>2</sup>	10 pcs

## Finishes & Colours:

CLASSIC GLAZE (Only available in Romane Canal TBF)



MINIMALIST SATIN: Modern, Elegant and Distinctively Clay



MODERN GLAZE: Go with the trend....



NATURAL TONE



NATURAL GLAZE



MIXED TONE



TROPICAL TONE



\* For mixed tone colours, separate colours will be delivered to project site and will need to be mixed during installation.

## Accessories for Romane TBF and Romane Canal TBF

